



# US20

## Rugged Computer Accessories Guide

# US20

## ACC. Map



### 2 slot Power Supply



100~240VAC, 12VDC, 3A

2 slot cradle + power cord / US20-PWSP-2XX

### 2 slot Cradle



2-Slot charging & USB host client / US20-2CRD-CU0

2-Slot charging & Ethernet USB host client / US20-2CRD-EU0

### Forklift



Square Type Forklift Cradle Kits; Includes Forklift charging station, Vehicle mount, Clamp base, Volt US20-CPAK-FCRD-SQ

### 5 slot Power Supply



100~240VAC, 12VDC, 12.5A

5 slot cradle + power cord / US20-PWSP-5XX

### 5 slot Cradle



5-Slot Charging Cradle / US20-5CRD-C00

5-Slot Ethernet Cradle / US20-5CRD-E00



5-Slot Charging Cradle for 4 x US30 & 4 Batteries / US20-5CRD-C00-MT

5-Slot Ethernet Cradle for 4 x US30 & 4 Batteries / US20-5CRD-E00-MT

### Vehicle



Forklift/Vehicle charging station / UL20-VCRD-CU0

### Vehicle USB Cable



Vehicle/Forklift Cradle USB Host / UNIV-CABL-UVH

Vehicle/Forklift Cradle USB Client / UNIV-CABL-UVC

### Trigger Handle



Scanning Trigger Handle for US20 / US20-TRIG-S00 US20-TRIG-S01

### BOOT



protect the PDA US20-BOOT-01

### Battery Charger



4-Slot Battery Charger US20-04BC-C00



20-Slot Battery Charger US20-20BC-C00

### Battery



Battery / US20-BATT-E67(-S10)

### Boot



Rubber Boot / US20-BOOT-01

### Etc.



Ram Mount(Screw) / UNIV-RAMT



Ram Mount(Suction) / UNIV-RAMS



Hard type Fabric Holster US20-CASE-FHH



Soft type Fabric Holster US20-CASE-FSH



USB cable A to C UNIV-CABL-UCA



Handstrap for 45° Scan 10 pcs US20-STRP(-S10/S50)



Handstrap for Trigger Handle 10 pcs US20-STRP-T10



Screen Protector US20-SCPR

# Power Supply



## US20-PWSP-U00

Provides power to US20/30 directly via USB connector

MODEL	US20-PWSP-U00
Input	100~240VAC
Output	5VDC / 2A
Compatibility	US20/30

## Compatible



**US20**

# 2 Slot Cradle

Charging

Compatible



## US20-2CRD-CU0

2-Slot charging & USB host client cradle

MODEL	US20-2CRD-CU0
I/O	DC
Input	12V / 3A
Dimension	105 x 154x 86mm
Compatibility	US20/30

## US20-2CRD-EC0

2-Slot charging & Ethernet USB client cradle

MODEL	US20-2CRD-EC0
I/O	DC
Input	12V / 3A
Dimension	105 x 154x 86mm
Compatibility	US20/30



**US20-BATT-E67(-S10)**  
US30 Battery



**US20-PWSP-2XX**  
power supply

# 4 Slot Charger

Charging



## US20-04BC-C00

4-Slot Battery Charger

MODEL	US20-04BC-C00
I/O	DC
Input	12V / 3A
Dimension	88.5 x 148.2 x 75.5mm
Compatibility	US20/30

## Compatible



US20-BATT-E67(-S10)  
US30 Battery



US20-PWSP-2XX  
power supply

# Power Supply



Depending on the type of connector at the end

## US20-PWSP-2XX

Power Supply for 2-Slot battery charger

MODEL	WD10-PWSP-2XX
Input	100~240VAC
Output	12VDC / 3A
Compatibility	US20/30

**US20-PWSP-2 EU**  
**US20-PWSP-2 AU**  
**US20-PWSP-2 KR**  
**US20-PWSP-2 UK**  
**US20-PWSP-2 US**  
**US20-PWSP-2 CN**

## Compatible



**US20-2CRD-CU0**  
**US20-2CRD-EC0**

2-Slot Cradle



**US20-04BC-C00**  
4-Slot Battery Charger

# 5 Slot Cradle

Charging & Data communications



## US20-5CRD-C00

5-Slot charging only cradle

MODEL	US20-5CRD-C00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30

## US20-5CRD-E00

5-Slot charging & Ethernet cradle

MODEL	US20-5CRD-E00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30

Compatible



US20-BATT-E67(-S10)  
US30 Battery



US20-PWSP-5XX  
power supply

# 5 Slot Cradle

Charging & Data communications



## Compatible



**US20-BATT-E67(-S10)**  
US30 Battery



**US20-PWSP-5XX**  
power supply

### US20-5CRD-C00-MT

5-Slot charging only cradle  
(4 x US20 & 4 Batteries)

MODEL	US20-5CRD-C00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30

### US20-5CRD-E00-MT

5-Slot charging & Ethernet cradle  
(4 x US20 & 4 Batteries)

MODEL	US20-5CRD-E00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30



# 20 Slot Charger

Charging

Compatible



## US20-20BC-C00

20-Slot Battery Charger

MODEL	US20-20BC-C00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 81mm
Compatibility	US20/30



US20-BATT-E67(-S10)  
US30 Battery



US20-PWSP-5XX  
power supply

**M3 MOBILE**  
US20ACCGD04092025

# Power Supply



## US20-PWSP-5XX

Power Supply for 5-Slot battery charger

MODEL	US20-PWSP-5XX
Input	100~240VAC
Output	12VDC / 12.5A
Compatibility	US30

Depending on the type of connector at the end

US20-PWSP-5 **EU**  
US20-PWSP-5 **AU**  
US20-PWSP-5 **KR**  
US20-PWSP-5 **UK**  
US20-PWSP-5 **US**  
US20-PWSP-5 **CN**

## Compatible



**US20-5CRD-C00 / US20-5CRD-E00**  
5-Slot charging only cradle



**US20-5CRD-C00-MT / US20-5CRD-E00-MT**  
5-Slot charging only cradle  
(4 x US20 & 4 Batteries)



**US20-20BC-C00**  
20-Slot charging only cradle

# Trigger



## US20-TRIG-S00 US20-TRIG-S01

Trigger Handle for US30

MODEL	US20-TRIG-S00
Dimension	72x 94 x 147mm
Weight	150g
Compatibility	US30

**US20-TRIG-S00** has a plastic injection mount, while **US20-TRIG-S01** has a metal mount. For detailed product specifications of **US20-TRIG-S01**, please inquire separately.

## Compatible



**US20**



## US20-BOOT-01

Rubber boot

<b>MODEL</b>	<b>US20-BOOT-01</b>
Dimension	85x 245 x 49mm
Weight	105g
Compatibility	US20/30

# Boot

## Compatible



**US20**

# Battery

Compatible



## US20-BATT-E67

Fast Charging Extended Capacity Spare  
Battery 6,700mAh



**US20-04BC-C00**  
4-Slot Battery Charger



**US20-20BC-C00**  
20-Slot charging only cradle

# Vehicle

## Charging & Data communications



### US20-VCRD-CU0

Forklift/Vehicle charging station

MODEL	US20-VCRD-CU0
I/O	DIN4
Input	12V / 3A
Dimension	75 x 250 x 75mm
Weight	380g
Compatibility	US20/30

## Compatible



US30



Ram Mount(Suction)  
UNIV-RAMS



Ram Mount(Screw)  
UNIV-RAMT



Power Converter /  
UNIV-PWSP-F00



Vehicle/Forklift Cradle USB Client  
UNIV-CABL-UVC



Vehicle/Forklift Cradle USB Host  
UNIV-CABL-UVH

# US20-CPAK-FCRD-SQ

# Forklift

Charging & Data communications



**UNIV-RAMM + UNIV-RAMC + UNIV-CABL-VC +  
UNIV-PWSP-F00 + UNIV-CABL-UVH + UNIV-ABL-UVC**

**Square Type Forklift Cradle Kits;**  
Includes Forklift charging station, Vehicle mount, Clamp  
base, Voltage Power Converter, Forklift power input cable,  
USB Client/Host Cable

## Compatible



**US20**

**M3 MOBILE**  
US20ACCGD04092025

# US20-CPAK-FCRD-SQ

# Forklift

Component

## US20-VCRD-CU0

US20 vehicle cradle body



## UNIV-RAMM

RAM® Double Socket  
Arm mount for Forklift Cradle



## UNIV-RAMC

Clamp base for Forklift Cradle  
Attach to the forklift  
Socket Arm mount.



## UNIV-CABL-VC

power extend input cable  
Length : 1M





# US20-CPAK-FCRD-SQ

# Forklift Component

## UNIV-CABL-UVH

USB female cable  
connection to the cradle body




## UNIV-CABL-UVC

USB male cable  
connection to the cradle body



## UNIV-PWSP-F00

Power Converter,  
INPUT : DC 24V ~ DC 96.V,  
OUTPUT : DC 12V / 5A



**US20-CPAK-FCRD-SQ**

**US20-VCRD-  
CU0**

**UNIV-RAMM**

**UNIV-RAMC**

**UNIV-CABL-VC**

**UNIV-PWSP-F00**

**UNIV-CABL-UVH or UNIV-CABL-UVC**



**US20-CASE-FHH**

Fabric Holster with belt, Side attach, Hard type



**US20-CASE-FSH**

Fabric Holster soft type with Strap, belt



**UNIV-CABL-UCA**

USB cable A to C



**US20-STRP(-S10/S50)**

Handstrap for 45°  
Scan 10 pcs



**US20-STRP-T10**

Handstrap for Trigger  
Handle 10 pcs



**US20-SCPR**

Screen Protector