

M3 MOBILE

























Mobile Computer

UL30

Accessories Guide



UL30 ACC. MAP

Cradle	Power Supply	Battery Charger	Trigger	Vehicle	Cradle Kits / Vehicle Cable	Snap On	Etc
2 SLOT CRADLE  UL20-2CRD-CU0  UL20-2CRD-EU0	 UL20-PWSP-2XX	 UL20-04BC-C00 Battery  Frozen(6,700mAh) UL20-BATT-F67 (-S10)  STD(6,700mAh) UL20-BATT-S67 (-S10)	 Scanning Handle UL20-TRIG-S00 Boot  Rubber Boot UL20-BOOT-01	 charging station UL20-VCRD-CU0  Ram Mount(Screw) UNIV-RAMS  Ram Mount(Suction) UNIV-RAMT  Auto Adapter UNIV-PWSP-VVC	 UL20-CPAK-VCRD  UL20-CPAK-FCRD-UB  UL20-CPAK-FCRD-SQ	 USB C-type UL30-SNAP-C0A  Adaptor SM10-PWSP-U01	 Screen Protector UL20-SCPR, UL20-SCPR-G  Wire Plate UL20-WIPL-U00 UL20-WIPL-W00  UL20-CASE-FSH  Hard type Fabric Holster UL20-CASE-FHH  USB Cable UL20-CABL-UCA  Hand Strap UL20-STRP-(S10 or S50)  UL20-WIPL-U00 UL20-WIPL-W00

Cradle / Charging

2-Slot charging cradle

USB host client
UL20-2CRD-CU0

Ethernet USB client
UL20-2CRD-EU0



	I/O	DC / USB A (HOST), USB C (CLIENT)	DC / USB A (HOST), USB C (CLIENT), ETHERNET PORT (RJ-45)
	Input	12VDC / 3A	
	Dimension	125 x 173 x 100mm	
	Weight	543	

Compatible



- 1 UL30**
U30F0E-U2RFES-HF, U30F0E-U2RFRS-HF,
U30F0E-U2RFSS-HF, U30F0E-ULRFES-HF,
U30F0E-ULRFRS-HF, U30F0E-ULRFSS-HF
U30W0E-U2RFES-HF, U30W0E-U2RFRS-HF
U30W0E-U2RFSS-HF, U30W0E-ULRFES-HF
U30W0E-ULRFRS-HF, U30W0E-ULRFSS-HF
- 2 Battery**
UL20-BATT-F67, UL20-BATT-S67
- 3 Power Supply**
UL20-PWSP-2XX





Cradle / Charging

8-Slot charging cradle

USB host client
UL20-8CRD-C00

Ethernet USB client
UL20-8CRD-E00



	I/O	DIN4	DIN4 / ETHERNET PORT (RJ-45)
	Input	12VDC / 12.5A	
	Dimension	503 x 177 x 101mm	
	Weight	1,280	

Compatible



- 1 UL30** U30F0E-U2RFES-HF, U30F0E-U2RFRS-HF, U30F0E-U2RFSS-HF, U30F0E-ULRFES-HF, U30F0E-ULRFRS-HF, U30F0E-ULRFSS-HF U30W0E-U2RFES-HF, U30W0E-U2RFRS-HF U30W0E-U2RFSS-HF, U30W0E-ULRFES-HF U30W0E-ULRFRS-HF, U30W0E-ULRFSS-HF
- 2 Battery** UL20-BATT-F67, UL20-BATT-S67
- 3 Power Supply** UL20-PWSP-8XX

Power Supply / Charging

Power Supply for 2-Slot Cradle

UL20-PWSP-2XX



Input

100~240VAC



Output

12VDC / 3A

Compatible



2 Slot Cradle

(UL20-2CRD-CU0, UL20-2CRD-EU0)



Battery Charging Station

(UL20-04BC-C00)

Depending on the type of connector at the end

UL20-PWSP-2 EU/KR

Power Supply / Charging

Power Supply for 8-Slot Cradle

UL20-PWSP-8XX



I/O

DIN4



Input

12V / 12.5A

Compatible



8 Slot Cradle

(UL20-8CRD-C00, UL20-8CRD-E00)

Depending on the type of connector at the end

UL20-PWSP-8 EU/KR

Battery Charger / Charging

M3 Battery charging station for UL30, 4 Slot Battery Charging Station

UL20-04BC-C00



I/O

DC



Input

12VDC / 3A



Dimension

110 x 177.2 x 105mm



Weight

528g

Compatible



BATTERY-Frozen 6700mAh
(UL20-BATT-F67)



BATTERY-STD 6700mAh
(UL20-BATT-S67)



2 Slot Cradle
(UL20-PWSP-2XX)

Battery

Fast Charging Standard Capacity Spare Battery 6,700mAh

UL30F Frozen

UL20-BATT-F67(-S10)



Dimension 56 x 109 x 24.1mm



Weight 145g

UL30W

UL20-BATT-S67(-S10)



Dimension 56 x 109 x 24.1mm



Weight 144g

Trigger

Trigger Handle for UL30

UL20-TRIG-S00



Dimension 90 x 245 x 170mm



Weight 710g

Compatible



UL20 / UL30



The 2-slot cradle and 8-slot cradle can be charged by inserting the trigger.

Charging & Data communications

Vehicle (UL20-CPAK-VCRD)



UL20-CPAK-VCRD Component



UL20-VCRD-CU0

UL30 vehicle cradle body



UNIV-PWSP-VVC

Auto Charger Cable Input
12-24VDC / Output 5VDC, 2A



UNIV-PWSP-UVH

USB female cable connection
to the cradle body



UNIV-CABL-UVC

USB male cable connection
to the cradle body

Charging & Data communications

Vehicle (UL20-CPAK-VCRD)

Compatible



Device

UL20-VCRD-CU0



UNIV-PWSP-VVC



UNIV-CABL-UVH

or



UNIV-CABL-UVC



UNIV-RAMS

Vehicle Mount by suction



UNIV-RAMT

Vehicle Mount by tighten screw

Charging & Data communications

Forklift (UL20-CPAK-FCRD-UB)

UL20-CPAK-FCRD-UB Component

U-bolt Type Forklift Cradle Kits;
Includes Forklift charging station, Vehicle mount,
U-bolt base, Voltage Power Converter,
Forklift power input cable, USB Client/Host Cable




UL20-VCRD-CU0

UL30 vehicle cradle body



UNIV-CABL-UVH

USB male cable connection
to the cradle body



UNIV-PWSP-F00

Power Converter, INPUT :
DC 24V ~ DC 96.V, OUTP
UT : DC 12V / 5A



UNIV-RAMU

U-bolt base for Forklift Cradle.
Attach to the forklift Socket
Arm mount



UNIV-CABL-VC

power extend input cable
Length : 1M



UNIV-CABL-UVC

USB male cable connection
to the cradle body



UNIV-RAMM

RAM® Double Socket Arm
mount for Forklift Cradle

Charging & Data communications

Forklift (UL20-CPAK-FCRD-UB)

Compatible



Device



UL20-VCRD-CU0



UNIV-RAMM



UNIV-CABL-VC



UNIV-CABL-UVH

or

UNIV-CABL-UVC



UNIV-RAMU

UNIV-PWSP-F00

Charging & Data communications

Forklift (UL20-CPAK-FCRD-SQ)

UL20-CPAK-FCRD-SQ Component

Square Type Forklift Cradle Kits;
Includes Forklift charging station, Vehicle mount,
Clamp base, Voltage Power Converter, Forklift
power input cable, USB Client/Host Cable




UL20-FCRD-CU0

UL30 vehicle cradle body



UNIV-CABL-UVH

USB female cable
connection to the cradle body



UNIV-PWSP-F00

Power Converter, INPUT :
DC 24V ~ DC 96.V, OUTP
UT : DC 12V / 5A



UNIV-CABL-VC

power extend input cable
Length : 1M



UNIV-CABL-UVC

USB male cable connection
to the cradle body



UNIV-RAMC

Clamp base for Forklift Cradle
Attach to the forklift Socket
Arm mount.



UNIV-RAMM

RAM® Double Socket
Arm mount for Forklift
Cradle



Charging & Data communications

Forklift (UL20-CPAK-FCRD-SQ)

Compatible



BOOT

Rubber boot UL30

UL20-BOOT-01



Dimension 85x 245 x 49mm



Weight 105g

Compatible



UL30

U30F0E-U2RFES-HF, U30F0E-U2RFRS-HF,
U30F0E-U2RFSS-HF, U30F0E-ULRFES-HF,
U30F0E-ULRFRS-HF, U30F0E-ULRFSS-HF
U30W0E-U2RFES-HF, U30W0E-U2RFRS-HF
U30W0E-U2RFSS-HF, U30W0E-ULRFES-HF
U30W0E-ULRFRS-HF, U30W0E-ULRFSS-HF

Snap on

Snap On

UL30-SNAP-C0A



Input 5VDC / 2A



Dimension 73 x 65 x 41.5mm



Weight 50g

UNIV-PWSP-V00



Input 100~240VAC



Output 5VDC / 2A

ETC. / Miscellaneous

ETC.



UL20-CASE-FHH
Fabric Holster with belt,
Side attach, Hard type



UL20-CASE-FSH
Fabric Holster soft type with
Strap, belt




UL20-STRP-(S10 or S50)
Hand Strap for 30
(10 pcs or 50 pcs)



UL20-CABL-UCA
USB cable, 1.2M, C to A plug



UL20-STYL
Spare Stylus with tether
for UL30



UL20-WIPL-U00 Wire Plate
UL20-WIPL-W00 Wire
Plate(2m)



UL20-SCPR Screen Protector
UL20-SCPR-G Anti Glare
Screen Protector